Regulatory Peptides, 38 (1992) 240–241
© 1992 Elsevier Science Publishers B.V. All rights reserved. 0167-0115/92/$05.00

Author index

Aiuti, F., see Sirianni, M.C., 79

Al Barazanji, K., see Balment, R.J., 71

Ambühl, P., Felix, D., Imboden, H., Khosla, M.C., Ferrario, C.M., Effects of angiotensin analogues and angiotensin receptor antagonists on paraventricular neurones, 111

Annibale, B., see Sirianni, M.C., 79

Arimura, A., see Mungan, Z., 199

Arimura, A., see Miyata, A., 145

Bachelor, P.A., see Hendriksen, J.H., 55

Balment, R.J., Al Barazanji, K., Renal, cardiovascular and endocrine effects of centrally administered galanin in the anaesthetised rat, 71

Bersani, M., see Messell, T., 179

Bhat, P.J., Moudgal, N.R., Effect of 80 kDa protein of porcine follicular fluid on gonadotropin stimulated progesterone production in rat granulosa cells in vitro, 231

Bruhn, T.O., Jackson, I.M.D., Abnormalities of the thyroid hormone negative feedback regulation of TSH secretion in spontaneously hypertensive rats, 221

Buchanan, K.D., see Shaw, C., 23

Bussjaeger, L.J., see Liehr, R.-M., 207

Chen, J.-Q., see Yonehara, N., 13

Chou, H.-h., see Tanaka, K.-i., 129

Clemens, A., see Katsoulis, S., 155

Creutzfeldt, W., see Katsoulis, S., 155

De Luca, S., see Sirianni, M.C., 79

Delle Fave, G., see Sirianni, M.C., 79

Dushkin, H., see Karnik, P.S., 167

Ertan, A., see Mungan, Z., 199

Fahrenkrug, J., see Palle, C., 101

Fais, S., see Sirianni, M.C., 79

Falke, N., see Martin, R., 33

Felix, D., see Ambühl, P., 111

Ferrario, C.M., see Ambühl, P., 111

Fujii, N., see Funakoshi, A., 135

Fukuda, H., see Funakoshi, A., 135

Funakoshi, A., Miyasaka, K., Kitani, K., Nakamura, J., Funakoshi, S., Fukuda, H., Fujii, N., Stimulatory effects of islet amyloid polypeptide (amylin) on exocrine pancreas and gastrin release in conscious rats, 135

Funakoshi, S., see Funakoshi, A., 135

Gao, Z.-Y., Gérard, M., Henquin, J.-C., Glucose- and concentration-dependence of vasopressin-induced hormone release by mouse pancreatic islets, 89

Gérard, M., see Gao, Z.-Y., 89

Halbinger, G., see Martin, R., 33

Halton, D.W., see Shaw, C., 23

Harling, H., see Messell, T., 179

Hendriksen, J.H., Bachelor, P.A., Newman, R.J., Stanton, T.L., Thyrotropin-releasing hormone action in the preoptic/anterior hypothalamus decreases thermoregulatory set point in ground squirrels, 55

Henquin, J.-C., see Gao, Z.-Y., 89

Holst, J.J., see Messell, T., 179

Imai, Y., see Yonehara, N., 13

Imboden, H., see Ambühl, P., 111

Inoki, R., see Yonehara, N., 13

Jackson, I.M.D., see Bruhn, T.O., 221

Jiang, L., see Miyata, A., 145

Karnik, P.S., Dushkin, H., Wolfe, M.M., Somatostatin inhibition of gastric gene expression: involvement of pertussis toxin-sensitive and -insensitive pathways, 167

Katsoulis, S., Schmidt, W.E., Clemens, A., Schwörer, H., Creutzfeldt, W., Vasoactive intestinal polypeptide induces neurogenic contraction of guinea-pig ileum. Involvement of acetylcholine and substance P, 155

Khosla, M.C., see Ambühl, P., 111

Kitani, K., see Funakoshi, A., 135

Koch, B., Lutz-Bucher, B., Pituitary adenylate cyclase-activating polypeptide (PACAP) stimulates cyclic AMP formation as well as peptide output of cultured pituitary melanotrophs and AtT-20 corticotrophs, 45

LePard, K.J., see Shockley, R.A., 121

Liehr, R.-M., Reidelberger, R.D., Rosewicz, S., Bussjaeger, L.J., Solomon, T.E., Dose-related involvement of CCK in bombesin-induced pancreatic growth, 207

Lutz-Bucher, B., see Koch, B., 45

Martin, R., McGregor, G.P., Halbinger, G., Falke, N., Voigt, K.-H., Methionine^5-enke-

phalin and opiate binding sites in the neurohypophysis of the bird, *Gallus domesticus*, 33
McGregor, G.P., see Martin, R., 33
McKay, D.M., see Shaw, C., 23
Messell, T., Harling, H., Poulsen, S.S., Bersani, M., Holst, J.J., Extrinsic control of the release of galanin and VIP from intrinsic nerves of isolated, perfused, porcine ileum, 179
Miyasaka, K., see Funakoshi, A., 135
Miyata, A., Jiang, L., Stibbs, H.H., Arimura, A., Chemical characterization of vasoactive intestinal polypeptide-like immunoreactivity in ovine hypothalamus and intestine, 145
Mori, A., see Tanaka, K.-i., 129
Moudgal, N.R., see Bhat, P.J., 231
Mungan, Z., Ozmen, V., Ertan, A., Arimura, A., Pituitary adenylate cyclase activating polypeptide-27 (PACAP-27) inhibits pentagastrin-stimulated gastric acid secretion in conscious rats, 199
Nakamura, J., see Funakoshi, A., 135
Newman, R.J., see Hendriksen, J.H., 55
Ogawa, N., see Tanaka, K.-i., 129
Ottesen, B., see Palle, C., 101
Ozmen, V., see Mungan, Z., 199
Palle, C., Ottesen, B., Fahrenkrug, J., Peptide histidine valine (PHV) is present and biologically active in the human female genital tract, 101
Pallone, F., see Sirianni, M.C., 79
Poulsen, S.S., see Messell, T., 179
Reidelberger, R.D., see Liehr, R.-M., 207
Rosewicz, S., see Liehr, R.-M., 207
Schmidt, W.E., see Katsoulis, S., 155
Schwörer, H., see Katsoulis, S., 155
Shaw, C., McKay, D.M., Halton, D.W., Thim, L., Buchanan, K.D., Isolation and primary structure of an amphibian neurotensin, 23
Shockley, R.A., LePard, K.J., Stephens, R.L., Jr., Fluoxetine pretreatment potentiates intracisternal TRH analogue-stimulated gastric acid secretion in rats, 121
Sirianni, M.C., Annibale, B., Tagliaferri, F., Fais, S., De Luca, S., Pallone, F., Delle Fave, G., Aiuti, F., Modulation of human natural killer activity by vasoactive intestinal peptide (VIP) family. VIP, glucagon and GHRF specifically inhibit NK activity, 79
Solomon, T.E., see Liehr, R.-M., 207
Stanton, T.L., see Hendriksen, J.H., 55
Stephens, R.L., Jr., see Shockley, R.A., 121
Stibbs, H.H., see Miyata, A., 145
Tagliaferri, F., see Sirianni, M.C., 79
Takiuchi, S., see Yonehara, N., 13
Tanaka, K.-i., Ogawa, N., Chou, H.-h., Mori, A., Yanaihara, N., Effects of thyrotropin releasing hormone and its analogues on unconsciousness following head injury in mice, 129
Thibonnier, M., Signal transduction of V_1-vascular vasopressin receptors, 1
Thim, L., see Shaw C., 23
Voigt, K.-H., see Martin, R., 33
Wolfe, M.M., see Karnik, P.S., 167
Yanaihara, N., see Tanaka, K.-i., 129
Yonehara, N., Imai, Y., Chen, J.-Q., Takiuchi, S., Inoki, R., Influence of opioids on substance P release evoked by antidromic stimulation of primary afferent fibers in the hind instep of rats, 13

Regulatory Peptides, 38 (1992) 242–244
© 1992 Elsevier Science Publishers B.V. All rights reserved. 0167-0115/92/$05.00

Key word index

α-MSH secretion; PACAP; AMP, cyclic; AtT-20 cell; ACTH secretion, 45

Absence of dynorphin; Autoradiography; Immunocytochemistry; HPLC; Co-existence Met-enkephalin/mesotocin, 33

ACTH secretion; α-MSH secretion; PACAP; AMP, cyclic; AtT-20 cell, 45

Adenylate cyclase; Calcium; mRNA; AMP, cyclic, 167

AMP, cyclic; Adenylate cyclase; Calcium; mRNA, 167

AMP, cyclic; AtT-20 cell; ACTH secretion; α-MSH secretion; PACAP, 45

Amphibian; Mass spectroscopy; Xenopsin; Peptide phylogeny; Neurotensin; Primary structure, 23

Amylin; Pancreatic secretion, 135

Angiotensin receptor subtype; Paraventricular nucleus; Microiontophoretic technique; Angiotensin; Angiotensin-(1–7); Angiotensin-(2–7), 111

Angiotensin; Angiotensin-(1–7); Angiotensin-(2–7); Angiotensin receptor subtype; Paraventricular nucleus; Microiontophoretic technique, 111

Angiotensin-(1–7); Angiotensin-(2–7); Angiotensin receptor subtype; Paraventricular nucleus; Microiontophoretic technique; Angiotensin, 111

Angiotensin-(2–7); Angiotensin receptor subtype; Paraventricular nucleus; Microiontophoretic technique; Angiotensin; Angiotensin-(1–7), 111

Antidepressive agent; Serotonin; Vagus; Brain, 121

Antidiuretic hormone; Second messenger; Membrane receptor; Vasoactive hormone, 1

Antidromic stimulation; Substance P release; Opioid; Evans blue extravasation, 13

Arginine-vasopressin; Insulin secretion; Glucagon secretion; Somatostatin secretion; Endocrine pancreas, 89

AtT-20 cell; ACTH secretion; α-MSH secretion; PACAP; AMP, cyclic, 45

Autoradiography; Immunocytochemistry; HPLC; Co-existence Met-enkephalin/mesotocin; Absence of dynorphin, 33

Behavior; Heat escape; TRH; Neuropeptide; Brain, 55

Blood pressure; Vasopressin; Corticosteroid; Galanin; Renal excretion; Cerebroventricular infusion, 71

Bombesin; Pancreatic growth; L-364,718; CCK plasma level, 207

Brain; Antidepressive agent; Serotonin; Vagus, 121

Brain; Behavior; Heat escape; TRH; Neuropeptide, 55

Calcium channel; VIP; ω-Conotoxin GVIA; Somatostatin; Opioid peptide; Noncholinergic nonadrenergic transmission, 155

Calcium; mRNA; AMP, cyclic; Adenylate cyclase, 167

CCK plasma level; Bombesin; Pancreatic growth; L-364,718, 207

Cerebroventricular infusion; Blood pressure; Vasopressin; Corticosteroid; Galanin; Renal excretion, 71

Cholinergic nerve; Coexistence of neuropeptides; Immunohistochemistry; Enteric nervous system; Sympathetic nerve, 179

Chronic gastric fistula; Rat; PACAP; VIP, 199

Co-existence Met-enkephalin/mesotocin; Absence of dynorphin; Autoradiography; Immunocytochemistry; HPLC, 33

Coexistence of neuropeptides; Immunohistochemistry; Enteric nervous system; Sympathetic nerve; Cholinergic nerve, 179

Corticosteroid; Galanin; Renal excretion; Cerebroventricular infusion; Blood pressure; Vasopressin, 71

Endocrine pancreas; Arginine-vasopressin; Insulin secretion; Glucagon secretion; Somatostatin secretion, 89

Enteric nervous system; Sympathetic nerve; Cholinergic nerve; Coexistence of neuropeptides; Immunohistochemistry, 179

Evans blue extravasation; Antidromic stimulation; Substance P release; Opioid, 13

Female genital tract; Peptide distribution;

Smooth muscle activity; Peptide histidine valine, 101
FSH/LH; Ovary; Receptor binding inhibitor, 231
Galanin; Renal excretion; Cerebroventricular infusion; Blood pressure; Vasopressin; Corticosteroid, 71
Glucagon secretion; Somatostatin secretion; Endocrine pancreas; Arginine-vasopressin; Insulin secretion, 89
Head injury; Thyrotropin releasing hormone; TRH analogue; Unconsciousness, 129
Heat escape; TRH; Neuropeptide; Brain; Behavior, 55
HPLC; Co-existence Met-enkephalin/mesotocin; Absence of dynorphin; Autoradiography; Immunocytochemistry, 33
Human; Vasoactive intestinal peptide; VIP-antagonist; Natural killer cell, 79
Hypothyroidism; proTRH; Processing; TRH; TSH, 221
Immunoaffinity chromatography; Radioimmunoassay; Ovine hypothalamus; Ovine intestine; Vasoactive intestinal polypeptide (VIP), 145
Immunocytochemistry; HPLC; Co-existence Met-enkephalin/mesotocin; Absence of dynorphin; Autoradiography, 33
Immunohistochemistry; Enteric nervous system; Sympathetic nerve; Cholinergic nerve; Coexistence of neuropeptides, 179
Insulin secretion; Glucagon secretion; Somatostatin secretion; Endocrine pancreas; Arginine-vasopressin, 89
L-364,718; CCK plasma level; Bombesin; Pancreatic growth, 207
Mass spectroscopy; Xenopsin; Peptide phylogeny; Neurotensin; Primary structure; Amphibian, 23
Membrane receptor; Vasoactive hormone; Antidiuretic hormone; Second messenger, 1
Microiontophoretic technique; Angiotensin; Angiotensin-(1–7); Angiotensin-(2–7); Angiotensin receptor subtype; Paraventricular nucleus, 111
mRNA; AMP, cyclic; Adenylate cyclase; Calcium, 167
Natural killer cell; Human; Vasoactive intestinal peptide; VIP-antagonist, 79
Neuropeptide; Brain; Behavior; Heat escape; TRH, 55
Neurotensin; Primary structure; Amphibian; Mass spectroscopy; Xenopsin; Peptide phylogeny, 23
Noncholinergic nonadrenergic transmission; Calcium channel; VIP; ω-Conotoxin GVIA; Somatostatin; Opioid peptide, 155
Opioid peptide; Noncholinergic nonadrenergic transmission; Calcium channel; VIP; ω-Conotoxin GVIA; Somatostatin, 155
Opioid; Evans blue extravasation; Antidromic stimulation; Substance P release, 13
Ovary; Receptor binding inhibitor; FSH/LH, 231
Ovine hypothalamus; Ovine intestine; Vasoactive intestinal polypeptide (VIP); Immunoaffinity chromatography; Radioimmunoassay, 145
Ovine intestine; Vasoactive intestinal polypeptide (VIP); Immunoaffinity chromatography; Radioimmunoassay; Ovine hypothalamus, 145
PACAP; AMP, cyclic; AtT-20 cell; ACTH secretion; α-MSH secretion, 45
PACAP; VIP; Chronic gastric fistula; Rat, 199
Pancreatic growth; L-364,718; CCK plasma level; Bombesin, 207
Pancreatic secretion; Amylin, 135
Paraventricular nucleus; Microiontophoretic technique; Angiotensin; Angiotensin-(1–7); Angiotensin-(2–7); Angiotensin receptor subtype, 111
Peptide distribution; Smooth muscle activity; Peptide histidine valine; Female genital tract, 101
Peptide histidine valine; Female genital tract; Peptide distribution; Smooth muscle activity, 101
Peptide phylogeny; Neurotensin; Primary structure; Amphibian; Mass spectroscopy; Xenopsin, 23
Primary structure; Amphibian; Mass spectroscopy; Xenopsin; Peptide phylogeny; Neurotensin, 23
Processing; TRH; TSH; Hypothyroidism; proTRH, 221
proTRH; Processing; TRH; TSH; Hypothyroidism, 221
Radioimmunoassay; Ovine hypothalamus; Ovine intestine; Vasoactive intestinal polypeptide (VIP); Immunoaffinity chromatography, 145
Rat; PACAP; VIP; Chronic gastric fistula, 199
Receptor binding inhibitor; FSH/LH; Ovary, 231
Renal excretion; Cerebroventricular infusion; Blood pressure; Vasopressin; Corticosteroid; Galanin, 71
Second messenger; Membrane receptor; Vasoactive hormone; Antidiuretic hormone, 1
Serotonin; Vagus; Brain; Antidepressive agent, 121
Smooth muscle activity; Peptide histidine valine; Female genital tract; Peptide distribution, 101
Somatostatin secretion; Endocrine pancreas; Arginine-vasopressin; Insulin secretion; Glucagon secretion, 89

Somatostatin; Opioid peptide; Noncholinergic nonadrenergic transmission; Calcium channel; VIP; ω-Conotoxin GVIA, 155
Substance P release; Opioid; Evans blue extravasation; Antidromic stimulation, 13
Sympathetic nerve; Cholinergic nerve; Coexistence of neuropeptides; Immunohistochemistry; Enteric nervous system, 179
Thyrotropin releasing hormone; TRH analogue; Unconsciousness; Head injury, 129
TRH; Neuropeptide; Brain; Behavior; Heat escape, 55
TRH; TSH; Hypothyroidism; proTRH; Processing, 221
TSH; Hypothyroidism; proTRH; Processing; TRH, 221
TRH analogue; Unconsciousness; Head injury; Thyrotropin releasing hormone, 129
Unconsciousness; Head injury; Thyrotropin releasing hormone; TRH analogue, 129
Vagus; Brain; Antidepressive agent; Serotonin, 121
Vasoactive hormone; Antidiuretic hormone; Second messenger; Membrane receptor, 1
Vasoactive intestinal peptide; VIP-antagonist; Natural killer cell; Human, 79
Vasoactive intestinal polypeptide (VIP); Immunoaffinity chromatography; Radioimmunoassay; Ovine hypothalamus; Ovine intestine, 145
Vasopressin; Corticosteroid; Galanin; Renal excretion; Cerebroventricular infusion; Blood pressure, 71
VIP; Chronic gastric fistula; Rat; PACAP, 199
VIP; ω-Conotoxin GVIA; Somatostatin; Opioid peptide; Noncholinergic nonadrenergic transmission; Calcium channel, 155
VIP-antagonist; Natural killer cell; Human; Vasoactive intestinal peptide, 79
ω-Conotoxin GVIA; Somatostatin; Opioid peptide; Noncholinergic nonadrenergic transmission; Calcium channel; VIP, 155
Xenopsin; Peptide phylogeny; Neurotensin; Primary structure; Amphibian; Mass spectroscopy, 23